

IS : 1200 (Part XXII) - 1982
(Reaffirmed 2002)

Indian Standard

METHOD OF MEASUREMENT OF BUILDING
AND CIVIL ENGINEERING WORKS

PART XXII MATERIALS

(First Reprint MARCH 1987)

UDC 69.003.12:691



© Copyright 1982

INDIAN STANDARDS INSTITUTION

MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG

NEW DELHI 110002

Gr 2

September 1982

*Indian Standard*METHOD OF MEASUREMENT OF BUILDING
AND CIVIL ENGINEERING WORKS

PART XXII MATERIALS

Civil Works Measurement Sectional Committee, BDC 44

<i>Chairman</i>	<i>Representing</i>
*SHRI P. N. GADI	Institution of Surveyors, New Delhi
<i>Members</i>	
SHRI P. L. BHASIN (<i>Alternate to</i> Shri P. N. Gadi)	
ADHISHASI ABAYANTA (PARSHIKHAN) DEPUTY DIRECTOR (GAWESHAN) (<i>Alternate</i>)	Public Works Department, Lucknow
SHRI K. D. ARCOT	Engineers India Ltd, New Delhi
SHRI T. V. SITARAM (<i>Alternate</i>)	
SHRI S. K. CHAKRABORTY DIRECTOR, IRI, ROORKEE	Calcutta Port Trust, Calcutta Irrigation Department, Government of Uttar Pradesh, Lucknow
DIRECTOR (RATES AND COSTS)	Central Water Commission, New Delhi
DEPUTY DIRECTOR (RATES AND COSTS) (<i>Alternate</i>)	
SHRI HARI RAO, P. S.	Hindustan Construction Co Ltd, Bombay
SHRI N. M. DASTANE (<i>Alternate</i>)	
SHRI M. L. JAIN	National Industrial Development Corporation Ltd, New Delhi
JOINT DIRECTOR (D)	National Buildings Organization, New Delhi
SHRI A. K. LAL (<i>Alternate</i>)	
SHRI H. K. KHOSLA SUPERINTENDING ENGINEER (CDO) (<i>Alternate</i>)	Haryana Irrigation Department, Chandigarh
SHRI S. K. LAHA	Institution of Engineers (India), Calcutta
SHRI V. D. LONDHE	Concrete Association of India, Bombay
SHRI N. C. DUGGAL (<i>Alternate</i>)	
SHRI K. K. MADHOK	Builders' Association of India, Bombay
SHRI DATTA S. MALIK PROF M. K. GODBOLE (<i>Alternate</i>)	Indian Institute of Architects, Bombay

(*Continued on page 2*)

*Acted as chairman for the meeting in which the standard was finalized.

© Copyright 1982

INDIAN STANDARDS INSTITUTION

This publication is protected under the *Indian Copyright Act* (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

IS : 1200 (Part XXII) - 1982

(Continued from page 1)

<i>Members</i>	<i>Representing</i>
SHRI R. S. MURTHY	Gammon India Ltd, Bombay
SHRI H. D. MATANGE (<i>Alternate</i>)	
SHRI B. S. MATHUR	Ministry of Shipping and Transport (Roads Wing)
SHRI A. D. NARAIN (<i>Alternate</i>)	
SHRI C. B. PATEL	M. N. Dastur & Co Ltd, Calcutta
SHRI B. C. PATEL (<i>Alternate</i>)	
SHRI V. G. PATWARDHAN	Engineer-in-Chief's Branch (Ministry of Defence)
SHRI G. G. KARMAKAR (<i>Alternate</i>)	
SHRI T. S. RATNAM	Bureau of Public Enterprises, New Delhi
DR R. B. SINGH	Banaras Hindu University, Banaras
SHRI R. A. SUBRAMANIAM	Hindustan Steel Works Construction Ltd, Calcutta
SUPERINTENDING SURVEYOR OF WORKS (AVI)	Central Public Works Department, New Delhi
SURVEYOR OF WORKS I (AVI) (<i>Alternate</i>)	
SHRI K. J. TARAPOREWALLA	Bombay Port Trust, Bombay
SHRI J. C. VERMA	Bhakra Management Board, Irrigation Wing, Nangal Township
SHRI R. M. JOLLY (<i>Alternate</i>)	
SHRI G. RAMAN, Director (Civ Engg)	Director General, ISI (<i>Ex-officio Member</i>)

Secretary

SHRI K. M. MATHUR
Deputy Director (Civ Engg), ISI

Indian Standard

METHOD OF MEASUREMENT OF BUILDING AND CIVIL ENGINEERING WORKS

PART XXII MATERIALS

0. FOREWORD

0.1 This Indian Standard (Part XXII) was adopted by the Indian Standards Institution on 20 April 1982, after the draft finalized by the Civil Works Measurement Sectional Committee had been approved by the Civil Engineering Division Council.

0.2 Measurement occupies a very important place in the planning and execution of any civil engineering work, from the time of first estimates to final completion and settlement of payments. Methods being followed for measurement are not uniform, and considerable differences exist between the practices followed by different construction agencies and also between various Central and State Government Departments. While it is recognized that each system of measurement has to be specifically related to administrative and financial organization with departments responsible for the work, a unification of the various systems at the technical level has been accepted as very desirable, specially as it permits a wider circle of operation for civil engineering contractors and eliminates ambiguities and misunderstandings arising out of inadequate understanding of various systems followed.

0.3 The practice for the method of measurement of supply of materials like sand, boulders, aggregates, etc varies considerably from one place to another with the result that a lot of practical difficulties arise in supply of such items. It has, therefore, been felt that methods of measurement of supply of such materials, as are generally taken from time to time for buildings and civil engineering works in substantial quantities, should be formulated. This part covers measurements of such materials.

0.4 In reporting the result of a measurement in accordance with this standard, if the final value observed or calculated is to be rounded off, it shall be done in accordance with IS : 2-1960*.

*Rules for rounding off numerical values (revised).

1. SCOPE

1.1 This standard (Part XXII) covers the method of measurement of materials normally used in buildings and civil engineering works.

2. GENERAL

2.1 **Description of Item** — Description of each item shall, unless otherwise stated, include, wherever necessary, conveyance and delivery, handling, unloading, storing, etc.

2.2 **Limits of Measurement** — Dimensions shall be measured net in decimal system to the nearest 0.01 m, area to nearest 0.01 m², volume to nearest 0.01 m³, weight to nearest 1 kg, unless otherwise stated (*see also* relevant Indian Standard).

2.3 **Bills of Quantities** — Bills of quantities shall fully describe materials.

3. METHOD OF MEASUREMENT OF MATERIALS

3.1 Various types of materials shall be measured as mentioned in Table 1.

TABLE 1 MEASUREMENT OF MATERIALS

NAME OF MATERIAL	HOW MEASURED
<i>Aggregates</i>	
Brick/stone of 40 mm nominal size and above	In m ³ after making a deduction of 7.5 percent from stack measurements and as per type
Brick/stone aggregates of less than 40 mm size cinder, sand, <i>moorum</i> , fly ash, pozzolana, stone, stone dust	In m ³ of gross stack measurements according to nominal size and type
<i>Aluminium Flats</i>	In kg, stating size
<i>Aluminium Strip and Edging</i>	In running metre stating size
<i>Asbestos Cement Products</i>	
Barge boards	Enumerated, stating size
Ridge	In pairs, according to size and type
Gutters	Enumerated, stating size, type and length
Roof lights, north light curves	Enumerated, stating size and type
Sheets	Enumerated stating type, size and length
Ventilators, eaves fillers, apron pieces, louvers, cowls, ridge finials, septic tanks	Enumerated and described

(*Continued*)

TABLE 1 MEASUREMENT OF MATERIALS — *Contd*

NAME OF MATERIAL.	HOW MEASURED
<i>Bitumen Products</i>	
Bitumen felt	In m ² , stating type, grade and width
Bitumen hot sealing compound	By weight, in kg, stating grade and type
Bitumen road tar	In tonnes, stating type
Joint filler (sealing compound)	In kg
<i>Boards</i>	
Plywood, etc	In m ² , stating type and thickness
<i>Bricks/Brick Tiles</i>	Enumerated, stating class and size
<i>Blocks (Building, Clay, Cement, Stone, etc)</i>	Enumerated stating size, type and grade if any
<i>Cement/Lime Pozzolana Mixture</i>	In kg, stating type
<i>Distemper</i>	In kg
<i>Doors/Windows/Ventilator Frames</i>	In linear metres and described (outside dimensions measured)
<i>Doors/Windows/Ventilators (Excluding Fittings and Finishes)</i>	In m ² and described
<i>Fibre Glass Felt</i>	In m ² stating thickness and grade
<i>Filler Fibrous/Non fibrous</i>	In m ² and described
<i>Fittings for Doors and Windows</i>	Enumerated
<i>Galvanized Steel Barbed Wire</i>	In kg, stating type and size
<i>Galvanized Steel Sheets (Corrugated/Plain)</i>	In quintals or enumerated, stating type and size
<i>Glass Sheets (Plain/Pin Head/Frosted/Wired/Splinter proof)</i>	In m ² , stating type, thickness and size
<i>Glass Strips</i>	In running metres, stating thickness and width
<i>Jali Cement—Concrete/Clay</i>	In m ² , stating thickness and type
<i>Lead for Caulking</i>	In kg
<i>Lime</i>	In kg, stating class
<i>Marble Chips</i>	In quintal, stating size and described
<i>Marble Dust</i>	In kg
<i>Marble Pieces</i>	In kg, stating colour

(Continued)

TABLE 1 MEASUREMENT OF MATERIALS — Contd

NAME OF MATERIAL	HOW MEASURED
<i>Marble Slab</i>	In m ² , stating thickness and type
<i>Metal Beading</i>	In running metres, stating type and size
<i>Paints, Emulsions and Thinners</i>	In litres, stating type and class
<i>Paint (Stiff) and Pigment</i>	In kg, stating type and class
<i>Pipes and Accessories</i>	
Pipe fittings	Enumerated and described
Pipes (except mild steel)	In running metres and described
<i>Precast Units for Flooring</i>	Enumerated and described
<i>Rope Manila</i>	In kg and described
<i>Rubber Rings for Pipes</i>	Enumerated and described
<i>Steel</i>	
Mild steel sheets	In tonnes, stating size and thickness
Mild steel expanded metal	In m ² and described
Wire fabric/chain fabric	In m ² and described
Hoop iron/bolts/rivets/bars/structural sections/rails/mild steel pipes	In kg or tonnes and described
<i>Stone</i>	
Boundary stone/kilometre stone	Enumerated, stating size and type
Kerb stone	Enumerated, stating size
Floor stone slabs	In m ² and described
Soling stone, boulders, rubble	In m ³ , after making a deduction of 15 percent from gross stack measurements, stating nominal size and type
<i>Sanitary Fittings</i>	
Cisterns / clamps / cocks / ferrules / foot-rests / gratings / hydrants / traps / bath tubs / urinals / valves / wash basins / WC pans / showers / towel rails / bidets	Enumerated and described
Files	Enumerated, stating type and size
<i>Timber</i>	
Blocks/baulks	Enumerated, stating type and size
Ballies	Enumerated, specifying diameter and described (diameter shall be measured at 1.5 m from the thick end)

(Continued)

TABLE 1 MEASUREMENT OF MATERIALS — *Contd*

NAME OF MATERIALS	HOW MEASURED
Bamboos	Enumerated and described
Scantlings/planks/battens	In m ³ , stating size and type
Tiles (Other than sanitary)	In m ² , stating size and type
Wall Tiles False Ceiling Tiles Roofing Tiles	Enumerated, stating type and size
Water Proofing Compound	In kg
Water Proofing Paste Emulsion Liquid	In litres
Wire	In kg and described
Wire Rope	In running metre and described



INDIAN STANDARDS INSTITUTION

Headquarters :

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

Telephones : 3 31 01 31, 3 31 13 75

Telegrams : Manaksanstha
(Common to all Offices)

Regional Offices :

Telephone

*Western ; Manakalaya, E9 MIDC, Marol, Andheri (East), BOMBAY 400093 6 32 92 95

†Eastern : 1/14 C. I. T. Scheme VII M, V. I. P. Road, Maniktola, CALCUTTA 700054 36 24 99

Northern : SCO 445-446, Sector 35-C CHANDIGARH 160036 { 2 18 43
3 16 41

Southern : C. I. T. Campus, MADRAS 600113 { 41 24 42
41 25 19
41 29 16

Branch Offices :

Pushpak, Nurmohamed Shaikh Marg, Khanpur, AHMADABAD 380001 { 2 63 48
2 63 49

'F' Block, Unity Bldg, Narasimharaja Square, BANGALORE 560002 22 48 05

Gangotri Complex, 5th Floor, Bhabhada Road, T. T. Nagar, BHOPAL 462003 6 27 16

Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002 5 36 27

53/5 Ward No. 29, R. G. Barua Road, 5th Byelane, GUWAHATI 781003 —

5-8-56C L. N. Gupta Marg, (Nampally Station Road), HYDERABAD 500001 22 10 83

R14 Yudhister Marg, C Scheme, JAIPUR 302005 { 6 34 71
6 98 32

117/418B Sarvodaya Nagar, KANPUR 208005 { 21 68 76
21 82 92

Patliputra Industrial Estate, PATNA 800013 6 23 05

Hantex Bldg (2nd Floor), Rly Station Road, TRIVANDRUM 695001 52 27

Inspection Office (With Sale Point):

Institution of Engineers (India) Building, 1332 Shivaji Nagar, PUNE 410005 5 24 35

*Sales Office in Bombay is at Novelty Chambers, Grant Road, Bombay 400007 89 65 28

†Sales Office in Calcutta is at 5 Chowringhee Approach, P. O. Princep Street, Calcutta 700072 27 68 00